

**ShowerSelect S**  
**Thermostat for concealed installation for 2 functions**  
 Surfaces: **Chrome** Article Number: **15743000**



### Description

**product features**

- 2 functions
- simultaneous use of several outlets
- Select push-button on/off control for 2 outlets
- flow rate upper outlet: 25 l/min
- flow rate lower outlet: 23 l/min
- thermostat cartridge, Start/stop valve to operate the functions
- safety lock at 40° C
- temperature limitation adjustable
- connection type: basic set
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- Thermostat is delivered with buttons hand shower and Rain large


### Technology



### Product image



### Scale drawing




**ShowerSelect S**

**Thermostat for concealed installation for 2 functions**

Surfaces: **Chrome** Article Number: **15743000**



**Flowchart**




**ShowerSelect S**  
**Thermostat for concealed installation for 2 functions**  
 Surfaces: **Chrome** Article Number: **15743000**



**Exploded Drawing**

Year of production: >01/18



**ShowerSelect S**  
**Thermostat for concealed installation for 2 functions**  
 Surfaces: **Chrome** Article Number: **15743000**



## Spare part list

Year of production: >01/18

Pos.	Description	Article Number	Price	PU
1	handle for thermostat	92215000	-	1
2	handle fixing set	95843000	-	1
3	set of symbols	92218000	-	1
4	escutcheon Ø 150 mm	92325000	-	1
5	escutcheon for exchanged connections	92391000	-	1
6	O-ring 44x4	98471000	-	1
7	sleeve	92216000	-	1
8	holder for escutcheon	98793000	-	1
9	set of fixing screws	96454000	-	1
10	nut and flange	92696000	-	1
11	Select-adapter	92219000	-	1
12	nut	98368000	-	1
13	nut	98913000	-	1
14	thermostat cartridge	98282000	-	1
15	cartridge for exchanged connections	92373000	-	1
16	O-ring 25x2,5	92146000	-	1
17	O-ring 25x1,5	98146000	-	1
18	O-ring 20x1,5	98197000	-	1
19	shut off unit	95758000	-	1
20	O-ring 36x2	98156000	-	1
21	set of screws	96525000	-	1
22	O-ring 16x2	98133000	-	1
23	noise reduction	94073000	-	1
24	non return valve (pressure-resistant up to 2 MPa)	92594000	-	1
25	non return valve	97980000	-	1
26	extension 25 mm	13595000	-	1
27	set of fixing screws	97747000	-	1
28	extension 22 mm (Ø 150 mm)	13597000	-	1
29	compensation set 1°	95521000	-	1
30	fit-up aid	92540000	-	1
31	symbol head shower Rain large	93571880	-	1
32	symbol head shower Rain small	93572880	-	1
33	symbol handshower	93573880	-	1
34	symbol Flood jet	93574880	-	1
35	symbol Whirl	93575880	-	1
36	symbol Mono	93576880	-	1
37	symbol tub	93577880	-	1
38	symbol body shower	93578880	-	1
39	symbol ON/OFF	93579880	-	1
40	pushbutton	93955880	-	1
a	concealed item	01800180	-	1

**ShowerSelect S**  
**Thermostat for concealed installation for 2 functions**  
 Surfaces: **Chrome** Article Number: **15743000**



**Spare part list**

Year of production: >01/18

<b>Pos.</b>	<b>Description</b>	<b>Article Number</b>	<b>Price</b>	<b>PU</b>
b	adapter for exchanged connections	93181000	-	1
c	brake disc	92498000	-	1
d	shut off unit (special)	92361000	-	1
e	shut off unit	92692000	-	1
f	Grease	90920000	-	1